

## 产品目录 | CONTENTS

乐清市维诺尔电子科技有限公司  
Yueqing Weinuoer Electronic Technology Co.,Ltd.

地址:中国浙江省乐清市虹桥镇仙垟赵工业区  
Add: Xlianyangzhao Industry zone Hongqiao Yueqing Zhejiang china  
电话(Tel):+86-577-62388993 62388983  
传真(Fax):+86-577-62388973  
Http: //www.wnrcn.com  
E-mail: zhoupixia@163.com

驻深圳办事处/Office in Shenzhen  
地址:中国广东省深圳市华强北都会电子城3楼3b024  
Add:3b024 3/F DuhuiElectronic city huaqiang north,Shenzhen  
传真(Fax):+86 755-88374123  
手机:+86- 18028765005  
QQ:2230367239/1935025089

高速光口连接器 (SFP+/SFP28/DSFP/QSFP) High Speed Pluggable I/O Connectors & Cages	01
高速DAC线缆组件 DAC cable Assemblies	29
集成RJ45连接器 ICM RJ45 Modular Jacks	37
独立式网络变压器 Discrete LAN Transformer	58
空包RJ45/RJ11连接器 RJ45/RJ11 Connectors without integrated magnetics	80
电源连接器 Power Connectors	135
高速板对板连接器 High Speed BTB Connectors	147
USB连接器 USB Connectors	154











## M/N: 1x4 SFP+ -B With Spring

P/N: 47022-00N011




## M/N: 1x4 SFP-B-01 压接式

P/N: 46039-01N011




## M/N: 1x4 SFP Thru-hole With Elastomeric gasket

P/N: 46038-00N011



## M/N: 1x4 SFP-A WITH LIGHT PIPE 压接式


P/N: 46041-00N011





## M/N: 1x6 SFP+ -1A With Spring


P/N: 47038-00N011






## M/N: 2x5 SFP

P/N: 46002-XXXXX1




## M/N: 2x6 SFP+ -03 WITH INNER/OUTER LIGHT PIPE

P/N: 47005-10XXX1




## M/N: 2x6 SFP-03

P/N: 46003-04XXX1



## M/N: 2x6 SFP+ -00 Elastomeric Gasket with inner and outer light pipes



P/N: 47012-04XXX1





## M/N: SFP28 1x1-A0 WITH HEAT SINK


P/N: 39001-00NXX1



RECOMMENDED PCB



## M/N: SFP28 2x1-A1

P/N: 39012-XXXXX1



## M/N: SFP28 1x4-A0 WITH HEAT SINK



P/N: 39002-00NXX1




RECOMMENDED PCB LAYOUT COMPONENT SIDE

## M/N: SFP28 2x4-A3 WITH LIGHT PIPE

P/N: 39016-XXXXX1



RECOMMENDED PCB LAYOUT COMPONENT SIDE











### Features

- Supports customization
- SFP28 Cable complies with SFF-8432
- QSFP28 Cable complies with SFF-8436
- SFP28 cable supports data rates up to 28Gbps(1x) (NRZ) &56Gbps(1x) (PAM4)
- QSFP28 cable supports data rates up to 100Gbps(4x) (NRZ) & 200Gbps(4x) (PAM4)
- 100 Ohm differential impedance
- EEPROM signature
- Pull to Release latch design
- 360°cable braid crimp
- Enhanced EMI suppression



P/N: 8100X-00J231




ITEM	CUSTOMER PN	GLG PN	LENGTH	AWG
1	TBD	81000-00J231	1000±20	30
2	TBD	81001-00J231	2000±30	30
3	TBD	81002-00J231	3000±35	30
4	TBD	81003-00J231	4000±40	28
5	TBD	81004-00J231	5000±45	26

CABLE AWG	DIAMETER "ØD"	MIN. BEND RADIUS "R"	MIN. BEND SPACEL "L"
30 AWG	4.5mm	22.5mm	42.5mm
28 AWG	4.8mm	24.0mm	45mm
26 AWG	5.6mm	28.0mm	50mm

## M/N: QSFP28 CABLE ASSEMBLY

P/N: 8300X-00J231




ITEM	CUSTOMER PN	GLG PN	LENGTH	AWG
1	TBD	83000-00J231	1000±20	30
2	TBD	83001-00J231	2000±30	30
3	TBD	83002-00J231	3000±35	30
4	TBD	83003-00J231	4000±40	28
5	TBD	83004-00J231	5000±45	26

CABLE AWG	DIAMETER "OD"	MIN. BEND RADIUS "R"	MIN. BEND SPAC "L"
30 AWG	6.6mm	33mm	70mm
28 AWG	8.0mm	40mm	80mm
26 AWG	9.5mm	47.5mm	95mm

## M/N: OTB CABLE ASSEMBLY


P/N: 85000-00J231





# M/N: OTB TO 3\*QSFP28 CABLE ASSEMBLY


P/N: 99XXX-XXXXXX



WIRING TABLE		WIRING TABLE		WIRING TABLE	
CONN-P0	CONN-P1	CONN-P0	CONN-P2	CONN-P0	CONN-P3
1	1	1	1	1	1
2	2	2	2	2	2
3	3	3	3	3	3
4	4	4	4	4	4
5	5	5	5	5	5
6	6	6	6	6	6
7	7	7	7	7	7
8	8	8	8	8	8
9	9	9	9	9	9
10	10	10	10	10	10
11	11	11	11	11	11
12	12	12	12	12	12
13	13	13	13	13	13
14	14	14	14	14	14
15	15	15	15	15	15
16	16	16	16	16	16
17	17	17	17	17	17
18	18	18	18	18	18
19	19	19	19	19	19
20	20	20	20	20	20
21	21	21	21	21	21
22	22	22	22	22	22
23	23	23	23	23	23
24	24	24	24	24	24
25	25	25	25	25	25
26	26	26	26	26	26
27	27	27	27	27	27
28	28	28	28	28	28
29	29	29	29	29	29
30	30	30	30	30	30
31	31	31	31	31	31
32	32	32	32	32	32
33	33	33	33	33	33
34	34	34	34	34	34
35	35	35	35	35	35
36	36	36	36	36	36
37	37	37	37	37	37
38	38	38	38	38	38
39	39	39	39	39	39
40	40	40	40	40	40
41	41	41	41	41	41
42	42	42	42	42	42
43	43	43	43	43	43
44	44	44	44	44	44
45	45	45	45	45	45
46	46	46	46	46	46
47	47	47	47	47	47
48	48	48	48	48	48
49	49	49	49	49	49
50	50	50	50	50	50
51	51	51	51	51	51
52	52	52	52	52	52
53	53	53	53	53	53
54	54	54	54	54	54
55	55	55	55	55	55
56	56	56	56	56	56
57	57	57	57	57	57
58	58	58	58	58	58
59	59	59	59	59	59
60	60	60	60	60	60
61	61	61	61	61	61
62	62	62	62	62	62
63	63	63	63	63	63
64	64	64	64	64	64
65	65	65	65	65	65
66	66	66	66	66	66
67	67	67	67	67	67
68	68	68	68	68	68
69	69	69	69	69	69
70	70	70	70	70	70
71	71	71	71	71	71
72	72	72	72	72	72
73	73	73	73	73	73
74	74	74	74	74	74
75	75	75	75	75	75
76	76	76	76	76	76
77	77	77	77	77	77
78	78	78	78	78	78
79	79	79	79	79	79
80	80	80	80	80	80
81	81	81	81	81	81
82	82	82	82	82	82
83	83	83	83	83	83
84	84	84	84	84	84
85	85	85	85	85	85
86	86	86	86	86	86
87	87	87	87	87	87
88	88	88	88	88	88
89	89	89	89	89	89
90	90	90	90	90	90
91	91	91	91	91	91
92	92	92	92	92	92
93	93	93	93	93	93
94	94	94	94	94	94
95	95	95	95	95	95
96	96	96	96	96	96
97	97	97	97	97	97
98	98	98	98	98	98
99	99	99	99	99	99
100	100	100	100	100	100

# M/N: GenZ IO CABLE ASSEMBLY

P/N: 97000-00J231









## M/N: JGRBPG2TXXXX

P/N: 44482-XXXXXX




## M/N: JLFA4TXXX-X/X

P/N: 44428-XXXXXX




## M/N: JPPA2TXXX

P/N: 44000-XXXXXX



## M/N: JGCA4TXXX-X/X

P/N: 44434-XXXXXX











## M/N: JDKA6TXXX-X/X

P/N: 44433-XXXXXX





## M/N: JDKA2TXXX-X/X

P/N: 44435-XXXXXX




## M/N: JDEA6TXXX-X/X

P/N: 44432-XXXXXX




## M/N: JDEA2TXXX-X/X

P/N: 44490-XXXXXX





## M/N: JDYG8EXXX

P/N: 44601-XXXXXX




## M/N: JDHA6TXXX

P/N: 44432-XXXXXX




## M/N: JDKA8TXXX-X/X

P/N: 44430-XXXXXX





## M/N: JDWBG6TXXX

P/N: 44454-XXXXXX




## M/N: JDWBG4TXXX

P/N: 44456-XXXXXX




## M/N: JDYG4TXXX


P/N: 44483-XXXXXX




## 802




## 804




## 805




## 806




807




809




817




87B




812




813




908




1001




## 1004




## 1008



## 1013



## 1038



# 独立式网络变压器/Discrete LAN Transformer

Item	P/N	M/N	Data Rate(Base-T)	Mounting	Number of PINS	POE
1	GSR16002LF	10/100 SMT/16PIN LAN Transformer	10/100M	SMT	16pin	Non POE
2	GSR24103LF	1G/SMT/24PIN LAN Transformer	1G	SMT	24pin	Non POE
3	GS16002LF	10/100 SMT/16PIN LAN Transformer	10/100M	SMT	16pin	Non POE
4	GNB16002LF	10/100 SMT/16PIN LAN Transformer	10/100M	SMT	16pin	Non POE
5	GS40005WLF	10/100 SMT/40PIN LAN Transformer	10/100M	SMT	40pin	Non POE
6	GSB24103LF-B	1G/SMT/24PIN LAN Transformer	1G	SMT	24pin	Non POE
7	GSB24103WLF-B	1G/SMT/24PIN LAN Transformer	1G	SMT	24pin	Non POE
8	GSB24103PLF-B	1G/SMT/24PIN 30W POE LAN Transformer	1G	SMT	24pin	30W
9	GS24103LF	1G/SMT/24PIN LAN Transformer	1G	SMT	24pin	Non POE
10	GS24103PLF	1G/SMT/24PIN 60W POE LAN Transformer	1G	SMT	24pin	60W
11	GS24103PWLF-B	1G/SMT/24PIN 60W POE LAN Transformer	1G	SMT	24pin	60W
12	GS24103CPPLF	1G/SMT/24PIN 90W POE LAN Transformer	1G	SMT	24pin	90W
13	GSC24103TLF	1G/SMT/24PIN LAN Transformer	1G	SMT	24pin	Non POE
14	GSD24103LF	1G/SMT/24PIN LAN Transformer	1G	SMT	24pin	Non POE
15	GSD24103PWL	1G/SMT/24PIN 60W POE LAN Transformer	1G	SMT	24pin	60W
16	GS48104ALF	1G/SMT/48PIN LAN Transformer	1G	SMT	48pin	Non POE
17	GS48104WLF	1G/SMT/48PIN LAN Transformer	1G	SMT	48pin	Non POE
18	GS48104LF	1G/SMT/48PIN LAN Transformer	1G	SMT	48pin	Non POE
19	GS50108LF	1G/SMT/50PIN LAN Transformer	1G	SMT	50pin	Non POE
20	GS50134PLF	1G/SMT/50PIN 60W POE LAN Transformer	1G	SMT	50pin	60W
21	GSB24103NLF	2.5G/SMT/24PIN LAN Transformer	2.5G	SMT	24pin	Non POE
22	GS24103ANLF	2.5G/SMT/24PIN LAN Transformer	2.5G	SMT	24pin	Non POE
23	GS48104NPLF	2.5G/SMT/48PIN 60W POE LAN Transformer	2.5G	SMT	48pin	60W
24	GS48104ANPLF	2.5G/SMT/48PIN 90W POE LAN Transformer	2.5G	SMT	48pin	90W
25	GS50135CNPWLF	2.5G/SMT/50PIN 90W POE LAN Transformer	2.5G	SMT	50pin	90W
26	GS24103AMPLF	5G/SMT/24PIN 60W POE LAN Transformer	5G	SMT	24pin	60W
27	GS24103CGLF	10G/SMT/24PIN LAN Transformer	10G	SMT	24pin	Non POE
28	GDE12008XDLF	10/100 DIP/12PIN LAN Transformer	10/100M	DIP	12pin	Non POE
29	GD18101LF	1G/DIP/18PIN LAN Transformer	1G	DIP	18pin	Non POE
30	GDE20004DLF	10/100 DIP/20PIN LAN Transformer	10/100M	DIP	20pin	Non POE
31	GD24103LF	1G/DIP/24PIN LAN Transformer	1G	DIP	24pin	Non POE
32	GD24103APLF	1G/DIP/24PIN 60W POE LAN Transformer	1G	DIP	24pin	60W
33	GD36102LF	1G/DIP/36PIN LAN Transformer	1G	DIP	36pin	Non POE
34	GD36102ALF	1G/DIP/36PIN LAN Transformer	1G	DIP	36pin	Non POE
35	GD48104LF	1G/DIP/48PIN LAN Transformer	1G	DIP	48pin	Non POE
36	GD48104ALF	1G/DIP/48PIN LAN Transformer	1G	DIP	48pin	Non POE
37	GGD72113LF	1G/DIP/72PIN LAN Transformer	1G	DIP	72pin	Non POE
38	GGD72113PLF	1G/DIP/72PIN 60W POE LAN Transformer	1G	DIP	72pin	60W
39	GD88117LF	1G/DIP/88PIN LAN Transformer	1G	DIP	88pin	Non POE
40	GD88117PLF	1G/DIP/88PIN 60W POE LAN Transformer	1G	DIP	88pin	60W
41	GD96121LF	1G/DIP/96PIN LAN Transformer	1G	DIP	96pin	Non POE
42	GD96121PLF	1G/DIP/96PIN 60W POE LAN Transformer	1G	DIP	96pin	60W











## M/N: 1G/SMT/24PIN LAN Transformer

P/N: GSC24103TLF





## M/N: 1G/SMT/24PIN 60W POE LAN Transformer

P/N: GSD24103PWL




## M/N: 1G/SMT/24PIN LAN Transformer

P/N: GSD24103LF





## M/N: 1G/SMT/48PIN LAN Transformer

P/N: GS48104LF





## M/N: 1G/SMT/48PIN LAN Transformer

P/N: GS48104WLF





## M/N: 1G/SMT/50PIN LAN Transformer

P/N: GS50108LF




## M/N: 1G/SMT/48PIN LAN Transformer

P/N: GS48104LF



## M/N: 1G/SMT/50PIN 60W POE LAN Transformer



P/N: GS50134PLF






## M/N: 2.5G/SMT/50PIN 90W POE LAN Transformer

P/N: GS50135CNPWLF





## M/N: 10G/SMT/24PIN LAN Transformer

P/N: GS24103CGLF





## M/N: 5G/SMT/24PIN 60W POE LAN Transformer

P/N: GS24103AMPLF



## M/N: 10/100 DIP/12PIN LAN Transformer


P/N: GDE12008XDLF






## M/N: 1G/DIP/36PIN LAN Transformer

P/N: GD36102LF




## M/N: 1G/DIP/36PIN LAN Transformer

P/N: GD36102ALF




## M/N: 1G/DIP/48PIN LAN Transformer

P/N: GD48104LF




## M/N: 1G/DIP/48PIN LAN Transformer

P/N: GD48104ALF




## M/N: 1G/DIP/72PIN LAN Transformer

P/N: GDD72113LF




## M/N: 1G/DIP/72PIN 60W POE LAN Transformer

P/N: GDD72113PLF




## M/N: 1G/DIP/88PIN LAN Transformer

P/N: GD88117LF




## M/N: 1G/DIP/88PIN 60W POE LAN Transformer

P/N: GD88117PLF





## M/N: 1G/DIP/96PIN LAN Transformer

P/N: GD96121LF



## M/N: 1G/DIP/96PIN 60W POE LAN Transformer

P/N: GD96121PLF



## 空包RJ45/RJ11连接器

### Features

- Supports ganged (1xN) and stacked (2xN) configurations;
- Through hole/SMT/Press fit are available
- Supports Vertical (180°) and Right Angle (90°)
- Offers shield and plastic options
- Supports different LED configurations
- Supports different color housing













## M/N: 5321-1-W-6P4C(2C)

P/N: 11005-00GXX1




## M/N: 5521-4R-6P4C(6C/4C/2C)

P/N: 11090-XXGXX1




## M/N: 5322-2-6P4C(4C/2C)

P/N: 11040-00GXX1




## M/N: 5522-1-6P6C(4C/2C)

P/N: 11132-XXGXX1




## M/N: 5622-1x4-8C(4C)

P/N: 41018-XXGXX1




## M/N: 5622-S-D-1x8-8C -III

P/N: 41032-00G031



## M/N: 5622-S-D-1x4-4C-III(BK3/8C)

P/N: 41021-XXGXX1





## M/N: 5622-1x8-8C(4C)

P/N: 41034-00GXX1






## M/N: 5622-8C(4C)

P/N: 41011-XXGXX1





## M/N: 5622-Q-T-D-R-W-8C(6C)

P/N: 41005-XXSXX1





## M/N: 5622-S-K6-C-8C(4C)

P/N: 41014-00GXX1



## M/N: 5622-Q-W-8P8C(6C)

P/N: 41008-XXSXX1








## M/N: 5631-Q-1x2-8C-6A

P/N: 41262-00XXX1




## M/N: 5631-1x2-8C-6A

P/N: 41260-XXGXX1



## M/N: 5631-Q-S-F-1x2-8C-6A

P/N: 41261-XXXXX1



## M/N: 5631-S-BK4-F-1x2-L-8C-6A

P/N: 42057-XXGXX1









## M/N: 5631-S-K9-F-1x4-8C

P/N: 41272-00GXX1




## M/N: 5631-Q-S-K9-F-1x4-L-8C-II

P/N: 42066-XXXXX1





## M/N: 5631-S-K9-F-1x4-L-8C-II

P/N: 42060-XXGXX1





## M/N: 5631-Q-S-K13-F-1x8-L-8C-II-G

P/N: 42008-XXXXX1



## M/N: 5631-8C(4C)



P/N: 41220-XXGXX1



RECOMMENDED P.C.B LAYOUT TOP VIEW  
COMPONENT SIDE TOLERANCE: ±0.05

## M/N: 5631-Q-8C



P/N: 41225-00XXX1



RECOMMENDED P.C.B LAYOUT TOP VIEW  
COMPONENT SIDE TOLERANCE: ±0.05

## M/N: 5631-S-K6-F-8C(4C)



P/N: 41223-XXGXX1



RECOMMENDED P.C.B LAYOUT TOP VIEW  
COMPONENT SIDE TOLERANCE: ±0.05

## M/N: 5631-Q-S-K6-F-8C

P/N: 41227-XXXXX1




RECOMMENDED P.C.B LAYOUT TOP VIEW  
COMPONENT SIDE TOLERANCE: ±0.05






## M/N: 5921-P-2x4-1A(4C)

P/N: 43010-XXGXX1




## M/N: 5921-Q-S-FK10-A-2x4-8C

P/N: 43019-XXXXX1




## M/N: 5921-S-FK10-A-2x4-8C(4C)

P/N: 43014-XXGXX1




## M/N: 5921-P-2x6-8C

P/N: 43040-00GXX1




## M/N: 5921-Q-S-K18-A-2x6-8C-V

P/N: 43046-00XXX1





## M/N: 5921-S-BK3-A-1x4-8C-III(I/K7/4C)

P/N: 41072-XXGXX1




## M/N: 5921-2x8-8C-1A

P/N: 43060-XXGXX1




## M/N: 5921-1x4-c-8C(4C)

P/N: 41078-XXGXX1



## M/N: 5921-S-A-1x2-8C-I(B)

P/N: 41067-XXGXX1




## M/N: 5921-T-A-1x4-8C

P/N: 41080-00GXXX



## M/N: 5921-Q-1x2-8C

P/N: 41089-00XXX1





## M/N: 5921-Q-S-K7-A-1x4-8C-III(B/BK3)

P/N: 41122-00SXX1




## M/N: 5921-1x8-c-8C(4C)

P/N: 41095-XXGXX1




## M/N: 5921-S-A-1x6-8C-III(4C)

P/N: 41132-XXGXX1




## M/N: 5921-1x5-8C(4C)

P/N: 41082-XXGXX1



## M/N: 5921-1x6-8C(4C)

P/N: 41133-00GXX1




## M/N: 5921-T-BK3-A-1x5-8C(4C)

P/N: 41088-00GXX1




## M/N: 5921-Q-S-A-1x8-8C-III

P/N: 41111-00SXX1




## M/N: 5921-S-BK3-A-1X5-8C-II(4C/I)

P/N: 41402-00GXX1



## M/N: 5921-S-K6-A-8C-G(4C/BK1/C/BK2/B/5C)

P/N: 41108-XXGXX1











## M/N: 5931-Q-S-K7-2x6-L-8C

P/N: 45048-XXXXX1




## M/N: 5931-Q-S-K8-2x1-L-8C-6P

P/N: 45190-XXXXX1




## M/N: 6221-Q-S-K6-L-8C (OG/G)

P/N: 42000-XXXXX1




## M/N: 5931-Q-S-K19-2x4-L-8C-6P-60

P/N: 45210-XXXXX1




## M/N: 6J31-Q-S-L-8P8C

P/N: 41911-00S092




## M/N: 5621-8C(4C)

P/N: 41360-XXGXX1




## M/N: 616PCB-4P4C(2C)

P/N: 11061-XXGXX1



## M/N: 5621-S-D-8C(4C)

P/N: 41363-XXGXX1



## 电源连接器



### Features

- Supports co-planar/Back plane/mezzanine /orthogonal options
- Supports customization
- Supports 15-20kg instant impact
- Supports current up to 200A
- Supports +/-2.0mm misalignment
- Waterproof available
- 0.8mm standoff design, supports both wave soldering and re-flew soldering
- Through hole and press fit both are available
- Hot-Plug, Hot Swap




### M/N: 16S+4P 弯母焊接式

P/N: 72A3-040016-A001



### M/N: 1P+16S+1P 弯母焊接式


P/N: 72A3-020016-A001






## M/N: 48S+12P 弯母焊接式

P/N: 72A3-120048-A002




## M/N: 4P+24S+4P 直母压接式

P/N: 72A8-080024-A003




## M/N: 4P+24S+4P 弯母压接式

P/N: 72A4-080024-A002



## M/N: 16S+4P 直母压接式


P/N: 72A8-040016-A003






## M/N: 3芯板端防水电源连接器

P/N: 72A0-030000-A001




## M/N: 75A PP端子

P/N: 71A0-010000-A00X




## M/N: 250A表贴汇流排

P/N: 71A0-010000-A002



## M/N: 插件汇流排

P/N: 71A0-010000-A001





## 高速板对板连接器


### Features

- 0.4mm/0.5mm/0.8mm pin pitch
- Supports 18pin to 144pin
- 5mm to 16mm mated height
- Supports data rates up to 10Gbs




### M/N: BTB F-SV-1-2xN-P080-H37

P/N: 16000-XXXXX1




### M/N: BTB M-SV-1-2xN-P080-H67

P/N: 16001-XXXXX1




## M/N: BTB M-SV-1-2xN-P080-H47

P/N: 16005-XXXXX1




## M/N: BTB F-SV-1-2xN-P080-H117

P/N: 16007-XXXXX1




## M/N: BTB F-SV-1-2xN-P080-H77

P/N: 16006-XXXXX1



## M/N: BTB M-SV-1-2xN-P080-H76

P/N: 16012-XXXXX1










## M/N: USB-SMT180-G-C30-24P-A-00

P/N: 08621-00JXX9




## M/N: USB-UP-DIP90-M-2A-4P-G-60

P/N: 08065-XXXXX1




## M/N: USB-SMT180-M-C30-24P-D-00

P/N: 08622-00JXX9



## M/N: USB-DIP90-M-2A-4P-B-60


P/N: 08066-60XXX1






## M/N: USB-DIP90-M-3A-9P-C-00

P/N: 08080-00MXX9




## M/N: USB-DIP180-M-3A-9P-C-00

P/N: 08086-0XMXX1




## M/N: USB-UP-DIP90-M-3A-9P-A-60

P/N: 08091-XXXXXX



## M/N: USB-DIP90-M-3A-9P-A-60

P/N: 08095-60MXX1









## M/N: USB-DIP180-2-M-3A-18P-B-00

P/N: 08123-00S059




## M/N: USB-DIP90-1-M-3B-9P-A-00

P/N: 08127-00S059




## M/N: USB-DIP90-3-M-2A-12P-A-00

P/N: 08125-00S059





## M/N: USB-DIP90-M-PD2A-4P-A-60

P/N: 08400-XXXXX1




M/N: USB-SMT90-M-C30-24P-A-00

P/N: 08610-60XXX1



M/N: USB-DUSTPROOF PLUG

P/N: D6-0010-XX



铝挤式散热器

